Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	290	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:53
S2	215	380/262.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:51
S3	61	380/280.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:53
S4	13457	"380"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:53
S5	22352	"713"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:53
S6	7096	"726"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 22:53
S9	9	(random pseudo vector nonce encrypt$3 udp tcp IP key) and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:15
S11	94	key with (nonce random vector pseudo) with decrypt$3 and udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:02
S12	42	key with (nonce random vector pseudo) with decrypt$3 and udp and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:13
S13	33	"x9.62"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:13

S14	33	(random pseudo initializ$6 vector nonce encrypt$3 udp tcp IP key) and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:54
S15	33	(random pseudo initializ$6 vector nonce encrypt$3 udp tcp IP key IV) and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:25
S16	30979	(RANDOM PSEUDO VECTOR (INITIALIZ$6 ADJ VECTOR) NONCE) AND KEY AND ($2CRYPT$3 $2CIPHER$3 $2CYPHER$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:28
S17	2116	((RANDOM PSEUDO VECTOR (INITIALIZ$6 ADJ VECTOR) NONCE) NEAR10 KEY) ADJ10 ($2CRYPT$3 $2CIPHER$3 $2CYPHER$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:29
S18	17501	((unreliable adj2 protocol) (user adj datagram adj protocol) UDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:31
S19	90	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:31
S20	42	S17 and S18 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:34
S21	435	S17 and S5 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:49
S22	617	S17 and S4 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 23:34
S24	1	(random pseudo initializ$6 vector nonce encrypt$3 udp tcp IP key) and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 00:00

| S26 | 2 | (random pseudo initializ$6 vector nonce encrypt$3 udp tcp IP key) and S25 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/17 00:04 |